MODEL TEST PAPER 4

FOUNDATION COURSE

PAPER - 3: QUANTITATIVE APTITUDE

Time: 2 Hours Marks: 100

- P, Q and R three cities. The ratio of average temperature between P and Q is 11: 12 and that between P and R is 9:8. The ratio between the average temperature Q and R
 - (a) 22:27
 - (b) 27:22
 - (c) 32:33
 - (d) none of these
- 2. The third proportional between (a^2-b^2) and $(a+b)^2$ is:
 - (a) $\frac{a+b}{a-b}$
 - (b) $\frac{a-b}{a+b}$
 - (c) $\frac{\left(a-b\right)^2}{a+b}$
 - (d) $\frac{\left(a+b\right)^3}{a-b}$
- 3. If 8th term of an AP is 15, the Sum of the 15 its term is
 - (a) 15
 - (b) 0
 - (c) 225
 - (d) 225/2
- 4. For what values of x, the number $-\frac{2}{7}$, x, $-\frac{7}{2}$ are in G.P.?
 - (a) <u>+</u> 1
 - (b) <u>+</u> 3
 - (c) <u>+</u> 2
 - (d) none of these
- 5. For what value of x; the sequence x+1, 3x, 4x+2 are in AP?
 - (a) 3
 - (b) 2

- (c) 4
- (d) 5
- 6. If $a^{1/x} = b^{1/y} = c^{1/z}$ and a,b,c are in GP then x, y, z are in
 - (a) AP
 - (b) GP
 - (c) HP
 - (d) AGP
- 7. The derivative of e^x logx
 - (a) $\frac{e^x}{x} (1 + x \log x)$
 - (b) $\frac{e^x}{x} (1 + \log x)$
 - (c) $(1 + \log x)$
- 8. If $y = \sqrt{\frac{1-x}{1+x}}$ then $(1-x^2)\frac{dy}{dx} =$
 - (a) y
 - (b) -x
 - (c) -y
 - (d) 0
- 9. Find the gradient of the curve $y = 3x^2-6x+4$ at the point (1, 2)
 - (a) 1
 - (b) -1
 - (c) 0
 - (d) 2
- 10. The equation of the curve in the form y = f(x) if the curve passese through the point (1, 0) and Find f'(x) = 2x-1 is
 - (a) $y = x^2-x$
 - (b) $x = y^2 y$
 - (c) $y = x^2$
 - (d) none of these
- 11. $\int \frac{1}{x \log x} dx = ?$
 - (a) log|x| + c

- (b) $\log |\log x| + c$
- (c) $(\log x)^2 + c$
- (d) none of these
- 12. $\int_{1}^{2} \frac{2x}{1+x^2} dx$ is equal to
 - (a) $log_e(5/2)$
 - (b) $log_e 5 log_e 2 + k$
 - (c) $log_e(2/5)$
 - (d) none of these
- 13. Find $f \circ g$ for the functions $f(x) = x^8$, $g(x) = 2x^2+1$
 - (a) $x^8 (2x^2+1)$
 - (b) x⁸
 - (c) $2x^2+1$
 - (d) $(2x^2+1)^8$
- 14. The number of proper subsets of the set {3, 4, 5, 6, 7} is
 - (a) 32
 - (b) 31
 - (c) 30
 - (d) 25
- 15. On the sets of lines in a plane the Relation "is perpendicular to" is
 - (a) Reflexive
 - (b) Symmetric
 - (c) Transitive
 - (d) none of these
- 16. In how many ways 3 prizes out of 5 can be distributed amongst 3 brothers equally
 - (a) 10
 - (b) 45
 - (c) 60
 - (d) 120
- 17. There 12 questions to be answered to be Yes or No. How Many ways this can be answered -
 - (a) 1021

	(b)	2048
	(c)	4096
	(d)	None of the above
18.	15C	$_{3r}$ = 15 C $_{r+3}$, then r is equal to
	(a)	2
	(b)	3
	(c)	4
	(d)	5
19.	A po	olygon has 44 diagonals then the number of sides are
	(a)	6
	(b)	7
	(c)	8
	(d)	11
20.		number of ways of painting the six faces of a cube with six different given urs is
	(a)	1
	(b)	720
	(c)	30
	(d)	15
21.	How digit	many Six-digit telephone numbers can be formed by using 10 distinct s
	(a)	108
	(b)	6 ¹⁰
	(c)	10C ₉
	(d)	10P ₆
22.	nC ₁ -	+nC ₂ +nC ₃ +=
	(a)	2 ⁿ -1
	(b)	2 ⁿ
	(c)	2 ⁿ +1
	(d)	none of these
23.	The	value of $\log_{0.1} 0.001 =$
	(a)	3
	(b)	2

- (c) 4
- (d) 1/3

24. if $log_4 x = -3/2$. Then x is

- (a) 1/8
- (b) ½
- (c) $\frac{1}{2}$
- (d) 1/3

25. A number consists of two digits. The digits in tens place is 3 times the digit in the unit's place. If 54 is subtracted from the digits are reversed. The number is

- (a) 39
- (b) 92
- (c) 93
- (d) 94

26. The equation x^2 -(P+4) x + 2P+5 = 0 has equal roots

The value of p is

- (a) 2
- (b) -2
- (c) ± 2
- (d) 3

27.

Х	5	6	7	8
у	11	13	15	17

In the above table corresponding values of two variable x and y have been given. Which of the following equations establishes the relationship between the two variables?

- (a) y = 3x+2
- (b) y = 2x-1
- (c) y = 2x+1
- (d) y = 3x+1

28. A manufacturer produces two items A and B. He has ₹ 10,000 to invest and a space to store 100 its ms. A table costs him ₹ 400 and a chair ₹ 100. Express this in the form of linear inequalities.

(a)
$$x + y \le 100$$
, $4x + y \le 100$, $x \ge 0$, $y \ge 0$

- (b) $x + y \le 1000$, 2x + 5y < 1000, $x \ge 0$, $y \ge 0$
- (c) $x + y > 100, 4x + y \ge 100, x \ge 0, y \ge 0$
- (d) none of these
- 29. The difference between compound and simple interest at 5% per annum for 4 years on ₹ 20,000 is -
 - (a) 250
 - (b) 277
 - (c) 300
 - (d) 310
- 30. In how many years will a sum of money double at 5% p.a compounded interest?
 - (a) 15 years 3 months
 - (b) 14 years 2 months
 - (c) 14 years 3 months
 - (d) 15 years 3 months
- 31. A machine worth ₹ 4,90,740 is depreciated at 15% of its opening value each year. When would its value reduce by 90%?
 - (a) 11 years 6 months
 - (b) 11 years 7 months
 - (c) 11 years 8 months
 - (d) 14 years 2 months approximately
- 32. Assuming, that discount rate is 7% per annum, how much would you pay to receive ₹ 50, growing at 5%, annually, forever.
 - (a) 2500
 - (b) 3000
 - (c) 3500
 - (d) 4000
- 33. Future value of Ordinary Annuity

(a) A(n, i) = A
$$\left[\frac{(1+i)^n - 1}{i}\right]$$

(b) A(n, i) = A
$$\left[\frac{(1+i)^n + 1}{i}\right]$$

- (c) A(n, i) = A $\left\lceil \frac{1 (1+i)^n}{i} \right\rceil$
- (d) A(n, i) = A $\left[\frac{(1+i)^n 1}{i(1+i)^n}\right]$
- 34. Nominal rate of Interest 9.9% p.a. If Interest is compounded monthly. What will be the effective rate of Interest? (Given $\left(\frac{4033}{4000}\right)^{12}$ = 1.1036)
 - (a) 10.36 %
 - (b) 9.36%
 - (c) 11.36%
 - (d) 9.9 %
- 35. A machine worth of ₹ 4,90,740 is depreciated at 15% on its opening value each year. When its value reduces to ₹ 2,00,000
 - (a) 4 years 6 months
 - (b) 4 years 7 months
 - (c) 4 years 5 months
 - (d) 5 years 7 months approximately
- 36. A sinking fund is created redeeming debentures worth ₹ 5,00,000 at the end of 25 years. How much provision need to be made out of profits each year provided sinking fund investments can earn at 4 % per annum
 - (a) 12,006
 - (b) 12,040
 - (c) 12039
 - (d) 12035
- 37. Nominal Rate of Return =
 - (a) Real Rate of Return Inflation
 - (b) Real Rate of Return + Inflation
 - (c) Real Rate of Return / Inflation
 - (d) Real Rate of Return × Inflation
- 38. Net Present value≥ 0, then
 - (a) Accept the Proposal
 - (b) Reject the proposal
 - (c) Not Feasible

- (d) None of the above
- 39. A sum of Money doubles itself at compound interest in 10 years. In how many years will it become eight times
 - (a) 10
 - (b) 30
 - (c) 40
 - (d) 35
- 40. The time in which a sum of money will be doubled at 6% compound interest compounded interest compounded annually approximately.
 - (a) 10 years
 - (b) 12 years
 - (c) 13 years
 - (d) 14 years
- 41. 18, 24, 21, 27, ?, 30, 27
 - (a) 33
 - (b) 30
 - (c) 24
 - (d) 21
- 42. 5, 7, 11, ?, 35, 67
 - (a) 23
 - (b) 28
 - (c) 30
 - (d) 19
- 43. If GARDEN is coded as 325764 and WATER as 92165, how can we code the word WARDEN in the same way?
 - (a) 925764
 - (b) 295764
 - (c) 952764
 - (d) 957264
- 44. If F = 6, MAT=34, then how much is CAR?
 - (a) 21
 - (b) 22
 - (c) 25

	(d)	28					
45.	Find	next term of the series, 4, 9, 16, 25, 36, 49, ?					
	(a)	1					
	(b)	9					
	(c)	20					
	(d)	64					
46.	Find	Find odd man out of the series 16, 25, 36, 72, 144, 196, 225					
	(a)	36					
	(b)	72					
	(c)	196					
	(d)	225					
47.	•	Raju starts from point A and walks 1 km towards south, turns left and walks 1 km. Then he turns left again and walks 1 km. now he is facing?					
	(a)	East					
	(b)	West					
	(c)	North					
	(d)	South-West					
48.		pa starts from a point and walks 15 metre towards west, turns left and its 12 metre, turns right again and walks. What is the direction she is nowing?					
	(a)	South					
	(b)	West					
	(c)	East					
	(d)	North					
49.	and	A car travelling from south to north covers a distance of 8 kms, then turns right and runs another 9 kms and again turns to the right and was stopped. Which direction does it face now?					
	(a)	South					
	(b)	North					
	(c)	West					
	(d)	East					
50.		re are five houses P, Q, R, S and T. P is right of Q and T is left of R and t of P. Q is right of S. Which house is in the middle?					
	(a)	P					

- (b) Q (c) T (d) R 51. Six friends A, B, C, D, E and F are sitting in a row facing towards North, C is sitting between A and E, D is not at the end, B is sitting at immediate right of E, F is not at the right end, but D is sitting at 3rd left of E. Which of the following is sitting to the left of D? (a) A (b) F (c) E (d) C 52. Six girls are standing in such a way that they form a circle, facing the centre. Subbu is to the left of Pappu, Revathi is between Subbu and Nisha, Aruna is between Pappu and Keerthna. Who is to the right of Nisha? Ravathi (a) (b) Aruna (c) Subbu (d) Keerthana 53. A is B's brother. C is D'S father. E is B's mother. A and D are brothers. How is E related to C? (a) Sister Sister-in- law (b) (c) Niece (d) Wife 54. A is B's brother, C is A's mother, D is C's father, E is B's son, How is B related to D? (a) Son (b) Granddaughter (c) Grandfather (d) Great Grandfather 55. A is the mother of D and sister of B. B has a daughter C who is married to F.
 - G is the husband of A. How is G related to D?
 - (a) Uncle
 - (b) Husband
 - (c) Son

- (d) Father
- 56. P and Q are brothers. R and S are sister. P's son is S's brother. How is Q related to R?
 - (a) Uncle
 - (b) Brother
 - (c) Father
 - (d) Grandfather
- 57. Pointing out to a photograph, a man tells his friend, "She is the daughter of the only son of my father's wife." How is the girl in the photograph related to the man?
 - (a) Daughter
 - (b) Mother
 - (c) Cousin
 - (d) Sister
- 58. A party consists of grandmother, father, mother, four sons and their wives and one son and two daughters to each of the sons. How many females are there is all?
 - (a) 13
 - (b) 16
 - (c) 18
 - (d) 24
- 59. Shyam goes 5 km in the North from his school. Now, turning to the left, he goes to 10 km and again turns to left and goes to 5 km. How far he is from his school and in which direction?
 - (a) 10 km, South from school
 - (b) 10 km, North from school
 - (c) 10 km, West from school
 - (d) 10 km, East from school
- 60. Rasik walked 20 m towards north. Then he turned right and walks 30 m. Then he turns right and walks 35 m. Then he turns left and walks 15 m. Finally, he turns left and walks 15 m. In which direction and how many metres is he from the starting position?
 - (a) 15 m West
 - (b) 30 m East
 - (c) 30 m West

(d) 45 m East 61. The _____ is satisfied when $P_{ab} \times P_{bc} \times P_{ca} = 1$ Time reversal test (a) (b) Factor reversal test (c) Circular Test (d) none of these The index number of prices at a place in 2008 is 355 with 2003 as base. This means -There has been on the average a 255% increase in prices. (a) There has been on the average a 355% increase in price. There has been on the average a 250% increase in price. (c) None of these. 63. The number of tests of Adequacy (a) 2 (b) 3 (c) 4 (d) 5 given by (a) $P(A) \times P(B)$ (b) P(A) + P(B)

64. If two events A and B are independent, the probability that both will occur is

- (c) P(A) + P(B) P(AUB)
- (d) $P(A) + P(B) P(A \cap B)$

65. If p: q is the odds in favor of an event, then the probability of that event is -

- (a) p/q
- (b)
- (c)
- (d) none of these

66. If P (A) = 4/9; then the odd against the event 'A' is

- (a) 4:9
- (b) 4:5
- (c) 5:4

	(d)	4:14				
67.		If two letters are taken at random from the word HOME, what is the Probability that none of the letters would be vowels?				
	(a)	1/6				
	(b)	1/2				
	(c)	1/3				
	(d)	1/4				
68.	-	Equations of two lines of regression are $4x+3y+7 = 0$ and $3x+4y+8=0$, the mean of x and y are				
	(a)	5/7 and 6/7				
	(b)	– 4/7 and –11/7				
	(c)	2 and 4				
	(d)	None of these				
69.	Cor	Correlation Co-efficient is of the units of measurements				
	(a)	Independent				
	(b)	Dependent				
	(c)	Both				
	(d)	none of these				
70.	If for two variable x and y, the covariance, variance of x and variance of y are 40, 16 and 256 respectively, what is the value of the correlation coefficient?					
	(a)	0.01				
	(b)	0.625				
	(c)	0.4				
	(d)	0.5				
71.	Stat	istics is concerned with				
	(a)	Qualitative information				
	(b)	Quantitative information				
	(c)	(a) or (b)				
	(d)	Both (a) and (b).				
72.	The	standard deviation of 25, 32, 43, 53, 62, 59, 48, 31, 24, 33 is				
	(a)	13.23				
	(b)	12.33				
	(c)	11.33				

	(d)	none of these			
73.		The quartile deviation of a normal distribution with mean 10 and standard deviation 4 is			
	(a)	0.675.			
	(b)	67.50.			
	(c)	2.70			
	(d)	3.20.			
74.	If the	e range of x is 2, what would be the range of – 3x + 50?			
	(a)	2			
	(b)	6			
	(c)	-6			
	(d)	44			
75.	If the	e quartile deviation of a normal curve is 4.05, then its mean deviation is			
	(a)	5.26			
	(b)	6.24			
	(c)	4.24			
	(d)	4.80			
76.		mean of first 3 terms is 14 and the mean of next 2 terms is 18. The mean numbers is - $$			
	(a)	14.5			
	(b)	15			
	(c)	14			
	(d)	15.6			
77.	The	Standard deviation is independent of change of			
	(a)	Origin			
	(b)	Scale			
	(c)	Both			
	(d)	none			
78.	If tw	o variables are uncorrelated then regression lines are			
	(a)	Parallel			
	(b)	Perpendicular			
	(c)	Coincident			
	(d)	Inclined at 45 ⁰			

79.	Whe	en 'p' = 0.5, the				
	(a)	Asymmetrical.				
	(b)	Symmetrical.				
	(c)	Both of above.				
	(d)	None of above				
80.	In a	In a normal distribution skewness is				
	(a)	0				
	(b)	>3				
	(c)	<3				
	(d)	<1				
81.		If mean and standard deviation of a binomial distribution is 10 and 2 respectively; q will be				
	(a)	1				
	(b)	0.8				
	(c)	0.6				
	(d)	0.4				
82.	Whi	Which one is not a condition of Poisson model				
	(a)	the probability of having failures in a small time interval is constant				
	(b)	the probability of having success more than one in a small time interval is very small				
	(c)	the probability of having success in this time interval is independent of time 't' as well as earlier success				
	(d)	the probability of having success in a small time interval (t, t+td) is Kt for a positive constant k.				
83.	In _	distribution, mean = variance.				
	(a)	Normal				
	(b)	Binomial				
	(c)	Poisson				

84. The points of inflexion of the normal curve
$$f(t) = \frac{1}{4\sqrt{2\pi}} e^{\frac{-(t-10)^2}{32}}$$
 are

(a) 6, 14

(d) none of these

- (b) 5,15
- (c) 4,16

	(d)	none	e of these	Э					
85.	The	total	area of t	he normal cu	rve is the				
	(a)	one							
	(b)	50 p	ercent						
	(c)	0.50							
	(d)	any	value be	tween 0 and	1				
86.	'Stul	b' of a	table is	the	part of	f the table de	scribing the		
	(a)) Left, Columns							
	` '	•	t, Colum	ns					
	` ,	Ū	t, Rows						
	` ,		Rows	_					
87.			_		lue can b	e determined	graphically.		
	(a)		n and M						
	(b)		e and M						
	` ,		e and Mo						
00	(d)		e of thes		following	diatribution			
88.		Find the Expected value of the following distribution x -20 -10 30 75 80							
		(x)	3/20	1/5	1/2	1/10	1/20		
				170	172		1720		
	(a)	20.5							
	(b)	21.5							
	(c)	22.5							
89.	(d)	24.5		g bases are	called				
09.	(a)	Unit		ig bases are	caned	_			
	(b)		reversa	ıl test					
	(c)		ular test						
	(d)		e of thes	e					
90.	` ,				stated as	price	index?		
	(a)	Equa		- ,		r >-			
	(b)	-	qual to						
	(c)		procal of	f					

	(d)	None of these				
91.	If ∑F	P_0Q_0 =1360, $\sum P_nQ_0$ = 1900, then the Laspyres Index number is				
	(a)	71				
	(b)	139.70				
	(c)	175				
	(d)	180				
92.	The	difference between the upper and lower limit of a class is called				
	(a)	Class Interval				
	(b)	Mid Value				
	(c)	Class Boundary				
	(d)	Frequency				
93.		an travels from Delhi to Agra at an average speed of 30km per hour and at an average speed of 60 km per hour. What's the average Speed.				
	(a)	48 Km/ hr				
	(b)	40 km/hr				
	(c)	45 km/hr				
	(d)	35 km/hr				
94.	If the mean of frequency distribution is 100 and coefficient of variation is 45% then standard deviation is.					
	(a)	45				
	(b)	0.45				
	(c)	4.5				
	(d)	450				
95.	if the	e mean and SD of X are a and b respectively, then the S.D of $\frac{x-a}{b}$ is				
	(a)	a/b				
	(b)	-1				
	(c)	1				
	(d)	ab				
96.	If on	If one regression coefficient is greater than one, then other will be:				
	(a)	More than one				
	(b)	Equal to one				
	(c)	Less than one				

	(d)	Equal to minus one
97.	The	maximum value of correlation coefficient is
	(a)	0
	(b)	1
	(c)	-1
	(d)	none of these
98.	Wha	t is exclusive Series
	(a)	In which both upper and lower limit are not included in class frequency
	(b)	In which lower limit is not included class frequency
	(c)	In which upper limit is not included in class frequency
	(d)	None of the above
99.		e arithmetic mean between two numbers is 64 and the Geometric Mean reen them is 16. The Harmonic mean between them is
	(a)	64
	(b)	4
	(c)	16
	(d)	40
100.	Whe	n the mean is 3.57 and mode is 2.13, then the value of median is
	(a)	3.09
	(b)	5.01
	(c)	5.01
	(d)	none of these.